













# PROFESSIONAL AV MOUNTING SOLUTIONS













## QUICK REFERENCE GUIDE













### FIXED DISPLAY WALL MOUNTS

Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Height Adjust	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Height Adjust
<b>XSM1U</b> FUSION <sup>®</sup> SERIES		<b>XL</b> 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 1070 x 600 mm	1" (25 mm)	<b>XSD1U</b>		<b>XL</b> 55 - 100"	310 lbs. (140.6 kg)	50 x 50 - 200 x 200 mm	26" (660 mm)
<b>LSM1U</b> FUSION <sup>®</sup> SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 871 x 500 mm	1" (25 mm)	<b>LSD1U</b> FUSION <sup>®</sup> SERIES		<b>L</b> Varies by Screen Weight	122 - 175 lbs. (55 - 82 kg)	200 x 200 - 860 x 510 mm	15.75" (400 mm)
<b>LSA1U</b> FUSION <sup>®</sup> SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 870 x 500 mm	N/A	<b>MSD1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> Varies by Screen Weight	67 - 125 lbs. (30 - 57 kg)	200 x 200 - 871 x 500 mm	15.75" (400 mm)
<b>MSM1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100x 100 - 642 x 400 mm	1" (25 mm)	<b>LSTU</b> THINSTALL <sup>™</sup> SERIES		<b>L</b> 42 - 86"	125 lbs. (56.7 kg)	200 x 200 - 800 x 500 mm	N/A
<b>MSA1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 642 x 400 mm	N/A	<b>MSTU</b> THINSTALL <sup>™</sup> SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 600 x 400 mm	N/A
<b>FSR1U</b>		<b>S</b> 10 - 40"	45 lbs. (20.4 kg)	50 x 50 - 200 x 200 mm	N/A	<b>OBIU</b>		<b>L</b> 42 - 100"	310 lbs. (140.6 kg)	400 x 100 - 1020 x 500 mm	Lateral Shift: Min. 6.625" - 10.625" max (168 - 269 mm)

### TILT DISPLAY WALL MOUNTS

Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Tilt	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Tilt
<b>XTM1U</b> FUSION <sup>®</sup> SERIES		<b>XL</b> 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 1070 x 600 mm	+5°, -12°	<b>MTMS1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> 32 - 65"	75 lbs. (34 kg)	200x 200 - 455 x 400 mm	+2°, -12°
<b>LTM1U</b> FUSION <sup>®</sup> SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 878 x 500 mm	+2°, -12°	<b>STMS1U</b> FUSION <sup>®</sup> SERIES		<b>S</b> 24 - 42"	75 lbs. (34 kg)	75 x 75 - 300 x 300 mm	+2°, -12°
<b>LTA1U</b> FUSION <sup>®</sup> SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 879 x 500 mm	+2°, -12°	<b>LTTU</b> THINSTALL <sup>™</sup> SERIES		<b>L</b> 32 - 65"	100 lbs. (45.4 kg)	200 x 200 - 800 x 500 mm	+ 0°, - 12°
<b>MTM1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100 x 100 mm - 650 x 400 mm	+2°, -12°	<b>MTTU</b> THINSTALL <sup>™</sup> SERIES		<b>M</b> 26 - 47"	100 lbs. (45.4 kg)	100 x 100 - 600 x 400 mm	+ 0°, - 12°
<b>MTMP1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> 43 - 47"	200 lbs. (90.7 kg)	100 x 100 - 571 x 600 mm	+5°, -12°	<b>ODMLT</b> OUTDOOR MOUNT SERIES		<b>L</b> 42 - 86"	175 lbs. (79.3 kg)	127 x 100 - 643 x 430 mm	+/-15°
<b>MTA1U</b> FUSION <sup>®</sup> SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 650 x 400 mm	+2°, -12°	<b>FTR1U</b>		<b>S</b> 10 - 40"	45 lbs. (20.4 kg)	50 x 50 - 200 x 200 mm	+5°, -15°

### SWING ARM DISPLAY WALL MOUNTS

Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Extension	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Extension
<b>TS525TU*</b> THINSTALL <sup>™</sup> SERIES		<b>L</b> 42 - 75"	125 lbs. (56.7 kg)	100 x 100 - 800 x 400 mm	25" (635 mm)	<b>TS18SU*</b> THINSTALL <sup>™</sup> SERIES		<b>S</b> 10 - 40"	35 lbs. (15.9 kg)	75 x 75 - 200 x 200 mm	18" (457 mm)
<b>TS325TU*</b> THINSTALL <sup>™</sup> SERIES		<b>M</b> 32 - 65"	75 lbs. (34 kg)	100 x 100 - 600 x 400 mm	25" (635 mm)	<b>TS110SU*</b> THINSTALL <sup>™</sup> SERIES		<b>S</b> 10 - 40"	35 lb. (15.9 kg)	75 x 75 - 200 x 200 mm	9.9" (251 mm)
<b>TS318TU*</b> THINSTALL <sup>™</sup> SERIES		<b>M</b> 32 - 65"	75 lbs. (34 kg)	100 x 100 - 600 x 400 mm	18" (457 mm)	<b>PDRUB</b>		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	37" (940 mm)
<b>TS318SU*</b> THINSTALL <sup>™</sup> SERIES		<b>M</b> 32 - 65"	75 lbs. (34 kg)	100 x 100 - 600 x 400 mm	18" (457 mm)	<b>PNRUB</b>		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	25" (635 mm)
<b>TS218SU*</b> THINSTALL <sup>™</sup> SERIES		<b>M</b> 32 - 55"	75 lbs. (34 kg)	100 x 100 - 400 x 400 mm	18" (457 mm)	<b>ODMLA25</b> OUTDOOR MOUNT SERIES		<b>L</b> 32 - 80"	150 lbs. (68 kg)	75 x 75 - 709 x 444 mm	21.6" (550 mm)

### MENU BOARD DISPLAY WALL MOUNTS

Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt
LWM5X1U		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°	LWM2X1U		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°
LWM4X1U		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°	LWM3X1UP		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	+0°, -20°
LWM3X1U		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°	LWM2X1UP		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	+0°, -20°

Additional configurations and accessories for components and larger screens available at [legrandav.com](http://legrandav.com)

### VIDEO WALL DISPLAY MOUNTS

LED Brand		Product		Equipment Depth Range		Plumb Adjustment					
<b>TILED™ LED SYSTEM SERIES</b>				Varies per model		Varies per model					
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (WxH)	Total Depth Adjust	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (WxH)	Total Depth Adjust
LVS1U CONNEXSYS™ SERIES		<b>L</b> 42 - 80"	150 lbs. (68 kg)	200 x 100 - 700 x 400 mm	3.4" (85 mm)	LVSXU CONNEXSYS™ SERIES		<b>L</b> 42 - 80"	150 lbs. (68 kg)	200 x 100 - 700 x 400 mm	3.4" (85 mm)
LVS1UP CONNEXSYS™ SERIES		<b>L</b> 40 - 80"	150 lbs. (68 kg)	200 x 100 - 800 x 400 mm	3.45" (85 mm)	LVSXUP CONNEXSYS™ SERIES		<b>L</b> 40 - 80"	150 lbs. (68 kg)	200 x 100 - 800 x 400 mm	3.4" (85 mm)

### MOUNT AND VIDEO WALL ACCESSORIES

Model	Product	Rotation	Adjustment	Model	Product	Orientation	Weight Capacity (per screen)	Model	Product	Weight Capacity (per screen)	Extension
FRA		90°	/	FCASCA		Landscape, Portrait	200 lbs. (90.7 kg)	FCAVIU		150 lbs. (68 kg)	11.54" (293 mm)
FCADA		/	3.25, 4 & 4.75" (83, 102 & 121 mm)	FCAVCA		Landscape, Portrait	200 lbs. (90.7 kg)	FCAIXIU		250 lb. (113 kg)	11.54" (293 mm)

Additional configurations and accessories for components and larger screens available at [legrandav.com](http://legrandav.com)

### IMPACT™ WALL AND FLOOR MOUNTED KIOSKS

Model	Product	Typical Screen Size	Weight Capacity	Color	Model	Product	Typical Screen Size	Weight Capacity	Color	Model	Product	Typical Screen Size	Weight Capacity	Color
<b>LW ON-WALL KIOSK SERIES</b>					<b>LF FLOOR MOUNTED KIOSK SERIES</b>									
LW40UBP LW40UWP		<b>M</b> 40"	43.5 kg	<b>B</b> <b>W</b>	LW49UBP LW49UWP		<b>M</b> 49"	56.7 kg	<b>B</b> <b>W</b>	LF49UBP LF49UWP		<b>M</b> 49"	56.7 kg	<b>B</b> <b>W</b>
LW42UBP LW42UWP		<b>M</b> 42"	43.5 kg	<b>B</b> <b>W</b>	LW50UBP LW50UWP		<b>M</b> 50"	56.7 kg	<b>B</b> <b>W</b>	LF50UBP LF50UWP		<b>M</b> 50"	56.7 kg	<b>B</b> <b>W</b>
LW43UBP LW43UWP		<b>M</b> 43"	43.5 kg	<b>B</b> <b>W</b>	LW55UBP LW55UWP		<b>M</b> 55"	56.7 kg	<b>B</b> <b>W</b>	LF55UBP LF55UWP		<b>M</b> 55"	56.7 kg	<b>B</b> <b>W</b>
LW46UBP LW46UWP		<b>M</b> 46"	43.5 kg	<b>B</b> <b>W</b>	LW65UBP LW65UWP		<b>L</b> 65"	79.4 kg	<b>B</b> <b>W</b>	LF49UBP-B2B LF49UWP-B2B		<b>M</b> 49"	56.7 kg	<b>B</b> <b>W</b>
LW47UBP LW47UWP		<b>M</b> 47"	43.5 kg	<b>B</b> <b>W</b>	LW70UBP LW70UWP		<b>L</b> 70"	79.4 kg	<b>B</b> <b>W</b>	LF50UBP-B2B LF50UWP-B2B		<b>M</b> 50"	56.7 kg	<b>B</b> <b>W</b>
LW48UBP LW48UWP		<b>M</b> 48"	43.5 kg	<b>B</b> <b>W</b>	LW75UBP LW75UWP		<b>L</b> 75"	79.4 kg	<b>B</b> <b>W</b>	LF55UBP-B2B LF455UWP-B2B		<b>M</b> 55"	56.7 kg	<b>B</b> <b>W</b>

### IMPACT™ FREESTANDING BASE ACCESSORY

Model	Product	Color	Model	Product	Color
PACLFB PACLFW		<b>B</b> <b>W</b>	PACLFB-B2B PACLFW-B2B		<b>B</b> <b>W</b>
SINGLE SIDED BASE ACCESSORY			DUAL SIDED BASE ACCESSORY		

CEILING DISPLAY MOUNTS											
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt
<b>XCM7000</b> FUSION® SERIES		<b>XL</b> 55 - 100"	300 lbs. (136.1 kg)	200 x 100 - 800 x 400 mm	+7.5° / -20°	<b>MCB1U</b> FUSION® SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 460 x 400 mm	+5° , -20°
<b>XCM1U</b> FUSION® SERIES		<b>XL</b> 55 - 100"	250 lbs. (113.4 kg)	200 x 100 - 800 x 400 mm	+5° , -20°	<b>LCM1X2U</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	200 x 100 - 616 x 400 mm	N/A
<b>LCM1U</b> FUSION® SERIES		<b>L</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 616 x 400 mm	+5° , -20°	<b>MCM1X2U</b> FUSION® SERIES		<b>M</b> 32 - 50"	125 lbs. (56.7 kg)	200 x 100 - 460 x 400 mm	N/A
<b>LCM1UP</b> FUSION® SERIES		<b>L</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 460 x 800 mm	+5° , -20°	<b>LCB1X2U</b> FUSION® SERIES		<b>L</b> 32 - 60"	100 lbs. (45.4 kg)	200 x 100 - 600 x 400 mm	+5° , -20°
<b>MCM1U</b> FUSION® SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 460 x 400 mm	+5° , -20°	<b>MCB1X2U</b> FUSION® SERIES		<b>M</b> 26 - 50"	100 lbs. (45.4 kg)	200 x 100 - 460 x 400 mm	+5° , -20°
<b>XCB7000</b> FUSION® SERIES		<b>XL</b> 55 - 100"	300 lbs. (136.1 kg)	200 x 100 - 800 x 400mm	+7.5° / -20°	<b>LCM3U</b> FUSION® SERIES		<b>L</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 200 - 600 x 400 mm	+5° , -20°
<b>XCBIU</b> FUSION® SERIES		<b>XL</b> 55 - 100"	200 lbs. (90.7 kg)	200 x 100 - 800 x 400 mm	+5° , -20°	<b>LCM4U</b> FUSION® SERIES		<b>L</b> 32 - 65"	85 lbs. (38.6 kg)	200 x 200 - 600 x 400 mm	+5° , -20°
<b>LCB1U</b> FUSION® SERIES		<b>L</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 616 x 400 mm	+5° , -20°	<b>FCS1U</b> CABLE FLOOR-TO- CEILING		Portrait - Min. 49" Landscape - Min. 55"	130 lbs. (59 kg)	200 x 200 - 862 x 517 mm	N/A

VIDEO WALL DISPLAY CEILING MOUNTS										
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	
<b>LCM2X2U</b> FUSION® SERIES		<b>L</b> 42 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	<b>LCM3X2UP</b> FUSION® SERIES		<b>L</b> 40 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	
<b>LCM2X2UP</b> FUSION® SERIES		<b>L</b> 40 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	<b>LCM3X3U</b> FUSION® SERIES		<b>L</b> 42 - 46"	85 lbs. (38.6 kg)	Any Width x 100 - 400 mm	
<b>LCM3X2U</b> FUSION® SERIES		<b>L</b> 42 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm						

Additional configurations and accessories for larger displays and components available at [legrandav.com](http://legrandav.com)

MENU BOARD DISPLAY CEILING MOUNTS										
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	
<b>LCM2X1U</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	<b>LCB2X1U</b> FUSION® SERIES		<b>L</b> 40 - 55"	100 lb. (45.4 kg)	Any Width x 100 - 400 mm	
<b>LCM2X1UP</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	<b>LCB2X1UP</b> FUSION® SERIES		<b>L</b> 40 - 55"	100 lb. (45.4 kg)	Any Width x 100 - 800 mm	
<b>LCM3X1U</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	<b>LCB3X1U</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	
<b>LCM3X1UP</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	<b>LCB3X1UP</b> FUSION® SERIES		<b>L</b> 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	

Additional configurations and accessories for larger displays and components available at [legrandav.com](http://legrandav.com)

BOLT-DOWN DISPLAY MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range
<b>XBM1U</b> FUSION™ SERIES		<b>XL</b> 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 900 x 400 mm	NA	<b>PFB1UB</b>		<b>L</b> 42 - 86"	150 lbs. (68 kg)	200 x 200 - 860 x 515 mm	51.4 - 85.4" (1305 - 2169 mm)
<b>XBM1UP</b> FUSION™ SERIES		<b>XL</b> 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 800 x 900 mm	NA	<b>PFB2UB</b>		<b>L</b> 42 - 75"	125 lbs. (56.7 kg) per screen	200 x 200 - 860 x 515 mm	51.4 - 85.4" (1305 - 2169 mm)

BOLT-DOWN VIDEO WALL DISPLAY MOUNTS										
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	
<b>LBM1X2U</b> FUSION™ SERIES		<b>L</b> 42 - 80"	125 lbs. (56.7 kg)	100 x 100 - 900 x 400 mm	<b>LBM2X2UP</b> FUSION™ SERIES		<b>L</b> 42 - 50"	100 lbs. (45.4 kg)	Any Width x 100 - 800 mm	
<b>LBM1X2UP</b> FUSION™ SERIES		<b>L</b> 42 - 80"	125 lbs. (56.7 kg)	100 x 100 - 800 x 900 mm	<b>LBM3X2U</b> FUSION™ SERIES		<b>L</b> 42 - 46"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	
<b>LBM1X3U</b> FUSION™ SERIES		<b>L</b> 42 - 65"	125 lbs. (56.7 kg)	100 x 100 mm - 900 x 400 mm	<b>LBM3X3U</b> FUSION™ SERIES		<b>L</b> 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 400 mm	
<b>LBM3X1UP</b> FUSION™ SERIES		<b>L</b> 42 - 46"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	<b>LBM3X2UP</b> FUSION™ SERIES		<b>L</b> 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 800 mm	

Additional configurations and accessories for larger displays and components available at [legrandav.com](http://legrandav.com)

FREESTANDING VIDEO WALL DISPLAY MOUNTS										
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	
<b>LVM2X2U</b> FUSION™ SERIES		<b>L</b> 42 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	<b>LVM3X2UP</b> FUSION™ SERIES		<b>L</b> 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 800 mm	
<b>LVM2X2UP</b> FUSION™ SERIES		<b>L</b> 42 - 50"	100 lb. (45.4 kg)	Any Width x 100 - 800 mm	<b>LVM3X3U</b> FUSION™ SERIES		<b>L</b> 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 400 mm	
<b>LVM3X1UP</b> FUSION™ SERIES		<b>L</b> 42 - 46"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm						

FREESTANDING DISPLAY MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range
<b>PFIU</b>		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	51.4 - 85.4" (1305 - 2169 mm)	<b>PRSU</b>		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 860 x 515 mm	45 - 72" (1142 - 1828 mm)
<b>LFAU</b> FUSION™ SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 800 x 400 mm	44.5 - 64.5" (1131 - 1639 mm)	<b>MFAU</b> FUSION™ SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 600 x 400 mm	44.5 - 64.2" (1130 - 1630 mm)
<b>MFIU</b>		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 709 x 431 mm	50.8 - 84.8" (1289 - 2153 mm)						

Additional configurations and accessories for larger displays and components available at [legrandav.com](http://legrandav.com)

FLOOR MOUNT AND FLOOR SUPPORT MOUNTING SYSTEMS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Table Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Dynamic Height Adjustment
<b>AVSFSS</b> TEMPO™ SERIES		<b>M</b> <b>L</b> <b>XL</b>	200 lbs. (90.7 kg)	Only with Chief mounts: LTM1U/LSMIU/ RXF2/RLF2, RMF2/ MTMIU/MSMIU FIT Mounts	51.6 - 65.6" (131 - 1666 mm) Fusion Mounts; 54.4 - 68.4" (1382 - 1737 mm) FIT Mounts	<b>LFD1U</b> FUSION™ SERIES		<b>L</b>	122 - 180 lbs. (55.4 - 82 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)
<b>AVAT101</b> TEMPO™ SERIES DUAL- DISPLAY ACCESSORY		<b>M</b> <b>L</b>	200 lbs. (90.7 kg)	200 x 400 - 400 x 800 mm weight capacity total (or 100 lbs. per display)		<b>MFD1U</b> FUSION™ SERIES		<b>M</b>	67 - 130 lbs. (30.4 - 59 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)
<b>XFA1U</b> FUSION™ SERIES		<b>XL</b> 55 - 100"	300 lbs. (136 kg)	200 x 200 - 800 x 400 mm	42 - 59.6" (1066 - 1515 mm)						

ELECTRIC HEIGHT ADJUST DISPLAY MOUNTS									
Model	Product	Screen Size	Application	Weight Capacity	Center of Display to Floor Range	Mounting Pattern Range	Vertical Lift	Leveling Adjustment	
<b>XSD1U</b>		<b>XL</b> 55 - 100"	Wall Mounted	310 lbs. (140.6 kg)	N/A	200 x 200 - 860 x 510 mm	26" (660 mm)	Up to 1.5" (38 mm)	
<b>XFD1U</b>		<b>XL</b> 55 - 100"	Floor Support	310 lbs. (140.6 kg)	35.96 - 61.55" (913 - 1563 mm)	200 x 200 - 860 x 510 mm	26" (660 mm)	Up to 1.5" (38 mm)	
<b>XPD1U</b>		<b>XL</b> 55 - 100"	Cart	310 lbs. (140.6 kg)	41.7 - 67.3" (1057 - 1708 mm)	200 x 200 - 860 x 510 mm	26" (660 mm)	Up to 1.5" (38 mm)	
<b>LFE1U</b>		<b>L</b> 50 - 80"	Floor Support	200 lbs. (90 kg)	36.3 - 61.9" (922 - 1522 mm)	200 X 200 - 860 X 510 mm	26" (660 mm)	Up to 1.5" (38 mm)	
<b>LPE1U</b>		<b>L</b> 50 - 80"	Cart	200 lbs. (90 kg)	42.1" - 67.7" (1069 - 1719 mm)	201 X 200 - 860 X 510 mm	26" (660 mm)	Up to 1.5" (38 mm)	

CARTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Dynamic Height Adjustment	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Dynamic Height Adjustment
<b>LPD1U</b> FUSION <sup>®</sup> SERIES		<b>L</b>	122 - 180 lbs. (55.4 - 82 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)	<b>MPD1U</b> FUSION <sup>®</sup> SERIES		<b>M</b>	67 - 130 lbs. (30.4 - 59 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range
<b>XVM1U</b>		<b>XL</b> 55 - 100"	310 lbs. (140.6 kg)	1200, 1100, 1000, 900, 800, 700, 600, 500, 400 x 600 or 400 mm	N/A	<b>PFCU</b> FUSION <sup>®</sup> SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	48 - 72" (1219 - 1829 mm)
<b>XPA1U</b> FUSION <sup>®</sup> SERIES		<b>XL</b> 55 - 100"	300 lbs. (136 kg)	200 x 200 - 800 x 400 mm	48 - 65" (1220 - 1650 mm)	<b>MFCUB</b>		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 709 x 431 mm	48 - 72" (1219 - 1829 mm)
<b>XVAUB</b> FUSION <sup>®</sup> SERIES		<b>XL</b> 55 - 70"	250 lbs. (113.4 kg)	200 x 200 - 800 x 400 mm	41.9 - 50.4" (1064 - 1280 mm)	<b>MPAU</b> FUSION <sup>®</sup> SERIES		<b>M</b> 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 600 x 400 mm	50 - 70" (1270 - 1770 mm)
<b>LPAU</b> FUSION <sup>®</sup> SERIES		<b>L</b> 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 800 x 400 mm	50 - 70" (1270 - 1770 mm)						

TABLE STAND DISPLAY MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Swivel Options	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Swivel Options
<b>LDB1U</b>		<b>L</b> 46 - 70"	125 lbs. (56.7 kg)	100 x 100 - 642 x 400 mm	+/- 15° or 30°	<b>PTSU</b>		<b>M</b> 32 - 52"	100 lbs. (45.4 kg)	200 x 200 - 860 x 515 mm	N/A
<b>LDS1U</b>		<b>L</b> 46 - 70"	125 lbs. (56.7 kg)	100 x 100 - 642 x 400 mm	+/- 15° or 30°	<b>STLU</b>		<b>M</b> 32 - 52"	125 lbs. (56.7 kg)	100 x 100 - 600 x 400 mm	+/- 15°, 30°, 45° or 90°
<b>PSSUB</b>		<b>M</b> 32 - 50"	150 lbs. (68 kg)	200 x 200 - 862 x 517 mm	N/A	<b>STS1</b>		<b>S</b> 18 - 30"	30 lbs. (13.6 kg)	75 x 75 - 100 x 100 mm	90°, 180°, 270°

CEILING PROJECTOR MOUNTS											
Model	Product	Weight Capacity	Roll, Pitch, and Yaw	Color	Model	Product	Weight Capacity	Roll, Pitch, and Yaw	Color		
<b>VCMU</b>		250 lbs. (113.4 kg)	5°, 20°, 360°	<b>B</b> <b>W</b>	<b>RSAU</b> RPA SERIES		25 lbs. (11.3 kg)	3°, 20°, 360°			
<b>VCTU*</b>		150 lbs. (68 kg)	Micro Roll +/- 5° Micro Pitch +/- 20° Micro Yaw +/- 10° Macro Yaw 360°	<b>B</b> <b>W</b>	<b>VPAU</b>		75 lbs. (34 kg)	+/-95°, 360°, 360°	<b>B</b> <b>W</b>		
<b>RPMAU*</b> RPA ELITE SERIES		50 lbs. (22.7 kg)	3°, 20°, 360°	<b>B</b> <b>S</b> <b>W</b>	<b>SYSAU*</b> SUSPENDED CEILING PROJECTOR SYSTEM		35 lbs. (15.9 kg)	3°, 10°, 360°	<b>B</b> <b>W</b>		
<b>RPAU</b> RPA SERIES		50 lbs. (22.7 kg)	4°, 25°, 360°	<b>B</b> <b>S</b> <b>W</b>	<b>KITMC</b> UNIVERSAL PROJECTOR MOUNT KIT		50 lbs. (22 kg)	3°, 20°, 360°	<b>B</b> <b>W</b>		
<b>RSMAU*</b> RPA ELITE SERIES		25 lbs. (11.3 kg)	3°, 15°, 360°	<b>B</b> <b>S</b> <b>W</b>	<b>KITEC</b> UNIVERSAL PROJECTOR MOUNT KIT		25 lb. (11.34 kg)	3°, 15°, 360°	<b>B</b> <b>W</b>		

\*MicroZone Adjustment

WALL PROJECTOR MOUNTS											
Model	Product	Extension	Weight Capacity	Lateral Shift	Model	Product	Extension	Weight Capacity	Lateral Shift		
<b>WM10AUS</b> WM SERIES		11.3 - 18" (286 - 457 mm)	50 lbs. (22.7 kg)	N/A	<b>WM220AUS</b> WM SERIES		17.5 - 30" (457 - 762 mm)	25 lbs. (11.3 kg)	10" (254 mm)		
<b>WM120AUS</b> WM SERIES		16 - 29" (406 - 724 mm)	25 lbs. (11.3 kg)	N/A	<b>WM230AUS</b> WM SERIES		29.5 - 55" (762 - 1372 mm)	25 lbs. (11.3 kg)	10" (254 mm)		
<b>WM130AUS</b> WM SERIES		28 - 53" (711 - 1334 mm)	25 lbs. (11.3 kg)	N/A	<b>WMA1S</b>		11.5 - 19" (292.1 - 482.6 mm)	Concrete & Wood 150 lbs. (68 kg) Steel stud 50 lbs. (22.7 kg.)	NA		
<b>WM210AUS</b> WM SERIES		12.8 - 20" (324 - 495 mm)	25 lbs. (11.3 kg)	10" (254 mm)	<b>WMA2S</b>		13 - 21" (330.2 - 533.4 mm)	Concrete & Wood 150 lbs. (68 kg) Steel stud 50 lbs. (22.7 kg.)	NA		

DESK MONITOR MOUNTS										
Model	Product	Monitor Configuration	Minimum Depth from Back of Desk	Maximum Extension	Manual Height Adjust	Dynamic Height Adjust	Weight Capacity (per monitor)	Colors		
<b>KXD220</b>		DUAL	2.45" (62 mm)	20.6" (400 mm)	N/A	13" (330 mm)	5 - 25 lbs (2.3 - 10 kg)	B S W		
<b>KXC220</b>		DUAL	2.45" (62 mm)	22.5" (571 mm)	7" (178 mm)	13" (330 mm)	5 - 25 lbs (2.3 - 10 kg)	B S W		
<b>KXC330</b>		TRIPLE	2.45" (62 mm)	22.5" (352 mm)	7" (178 mm)	13" (330 mm)	5 - 20 lbs (2.3 - 10 kg)	B S W		
<b>KXC420</b>		QUAD	2.45" (62 mm)	22.5" (523 mm)	7" (178 mm)	13" (330 mm)	5 - 20 lbs (2.3 - 10 kg)	B S W		
Model	Product	Dynamic Height Adjustment	Weight Capacity (per monitor)	Colors		Model	Product	Dynamic Height Adjustment	Weight Capacity (per monitor)	Colors
<b>K1C110</b>		13.0" (330 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W		<b>K1D120</b>		13.0" (330 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W
<b>K1C120</b>		13" (330.2 mm)	2.3 - 9.9 kg	B S W		<b>K1D22H</b>		13.0" (330 mm)	2 - 9 lbs. (0.9 - 4.1 kg)	B
<b>K1C210</b>		13" (330.2 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S		<b>K1D220</b>		13.0" (330 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W
<b>K1C22H</b>		13" (330.2 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S		<b>K2C110</b>		7.0" (178 mm)	40 lbs. (18.1 kg)	B S
<b>K1C220</b>		13" (330.2 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W		<b>K2C120</b>		7.0" (178 mm)	40 lbs. (18.1 kg)	B S
<b>K1C330</b>		13" (330.2 mm)	5 - 20 lbs. (2.3 - 9.07 kg)	B S W		<b>K2C22H</b>		7.0" (178 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S
<b>K1C420</b>		13.0" (330 mm)	5 - 20 lbs. (2.3 - 9.07 kg)	B W		<b>K2C220</b>		7.0" (178 mm)	25 lbs. (11.3 kg)	B S

Various configurations and mounting options available on [legrandav.com](http://legrandav.com)

IN-WALL STORAGE BOXES										
Model	Product	Weight Capacity	Dimensions	Colors		Model	Product	Weight Capacity	Dimensions	Colors
<b>PAC525F</b>		10 lbs. (4.5 kg)	9 x 14.25 x 3.9" (229 x 362 x 98 mm)	B W		<b>PAC527F</b>		40 lbs. (18.1 kg)	14.25 x 22 x 3.9" (362 x 559 x 98 mm)	B W
<b>PAC526F</b>		10 lbs. (4.5 kg)	14.25 x 14.25 x 3.9" (362 x 362 x 98 mm)	B W						

Various configurations and mounting options available on [legrandav.com](http://legrandav.com)

COMPONENT STORAGE PANELS										
Model	Product	Weight Capacity	Dimensions	Features		Model	Product	Weight Capacity	Dimensions	Features
<b>CSPH</b>		20 lbs. (9 kg)	27.31 x 14.40 x 1.15" (693 x 366 x 29 mm)	Hinges 90° for ease of access to components		<b>CSMP9X12</b>		10 lbs. (4.5 kg)	12 x 9 x 0.5" (304 x 228 x 12 mm)	Mounts between any display and any universal mount
<b>CSPR</b>		20 lbs. (9 kg)	24.22 x 10.4 x 1.15" (615 x 264 x 29 mm)	Removable for component service without moving the display		<b>CSSMP15X10</b>		15 lbs. (6.8 kg)	22.71 x 10.61 x 0.5" (533 x 576 x 12 mm)	Slide out removable Lever Lock™ panel

Various configurations and mounting options available on [legrandav.com](http://legrandav.com)

COMPONENT SHELVES								
Model	Product	Feature	Compatible		Model	Product	Feature	Compatible
<b>FCA850</b>		Fusion Side Camera Shelf	Side Shelf	Fusion series	<b>PAC811</b>		Video Conferencing Camera Shelf - 14", for XL Displays	Above/Below LPEIU/LFEIU
<b>FCA800</b>		Fusion 8" Above/Below Shelf for Large Displays	Above/Below	Fusion series	<b>PAC870</b>		Height-Adjustable Accessory Shelf	Below LPEIU/LFEIU
<b>FCA810</b>		Fusion 8" Above/Below Shelf for XL Displays	Above/Below	Fusion series	<b>FCA611B</b>		Fusion Small Height-Adjustable Accessory Shelf	Above/Below LPAU/LFAU
<b>PAC810</b>		Video Conferencing Camera Shelf - 9", for XL Displays	Above/Below	LPEIU/LFEIU	<b>FCA612B</b>		Fusion Large Height-Adjustable Accessory Shelf	Above/Below MPAU/MFAU/ LPAU/LFAU/XPAU